

Operating Instructions for Manual Humidity Precision Measuring Unit

Model: HND-F215



1. Contents

1.	Conte	ents	2
2.	Note		3
3.		ıment Inspection	
4.		lation Use	
5.	Opera	ating Principle	4
6.		rical Connection	
	6.1	Mains operation	4
7.	Opera	ation	
	7.1	Safety Requirements	
	7.2	Connections	
	7.3	Displays	6
	7.4	Push buttons	8
	7.5	Instrument Configuration	9
	7.6	Measurements Using the Combination Measuring Sensor	
		HND-FF31	
	7.7	Measurements Using the Flow Measuring Probes HND-FF32 a. H	IND-
		FF33	
	7.8	Notes for Special Functions	13
	7.9	The Serial Interface	
		How to Calibrate Meas. of Rel. Humidity Using HND-FF31	
		System and Error Messages	
	7.12	System and Error Messages	21
		Error and System Messages during HND-FF31 Calibration	
8.		tenance	
		nical Information	
		r Codes	
		nsions	
		osal	
13.	EU D	eclaration of Conformance	25

Manufactured and sold by:

Kobold Messring GmbH Nordring 22-24 D-65719 Hofheim Tel.: +49(0)6192-2990

Fax: +49(0)6192-23398 E-Mail: info.de@kobold.com Internet: www.kobold.com

page 2 HND-F215 K08/0323

2. Note

Please read these operating instructions before unpacking and putting the unit into operation. Follow the instructions precisely as described herein.

The instruction manuals on our website www.kobold.com are always for currently manufactured version of our products. Due to technical changes, the instruction manuals available online may not always correspond to the product version you have purchased. If you need an instruction manual that corresponds to the purchased product version, you can request it from us free of charge by email (info.de@kobold.com) in PDF format, specifying the relevant invoice number and serial number. If you wish, the operating instructions can also be sent to you by post in paper form against an applicable postage fee.

Operating instructions, data sheet, approvals and further information via the QR code on the device or via www.kobold.com

The devices are only to be used, maintained and serviced by persons familiar with these operating instructions and in accordance with local regulations applying to Health & Safety and prevention of accidents.

When used in machines, the measuring unit should be used only when the machines fulfil the EC-machine guidelines.

3. Instrument Inspection

Instruments are inspected before shipping and sent out in perfect condition. Should damage to a device be visible, we recommend a thorough inspection of the delivery packaging. In case of damage, please inform your parcel service / forwarding agent immediately, since they are responsible for damages during transit.

Scope of delivery:

The standard delivery includes:

Manual Humidity Precision Measuring Unit model: HND-F215

4. Regulation Use

Any use of the Manual Humidity Precision Measuring Unit, model: HND-F215, which exceeds the manufacturer's specification, may invalidate its warranty. Therefore, any resulting damage is not the responsibility of the manufacturer. The user assumes all risk for such usage.

5. Operating Principle

The KOBOLD HND-F215 manual measuring unit allows for the measurement of gas humidity and gas temperature or the gas respectively water flow. Appropriate probes are available for both measuring applications (for more technical data, see subsequent pages). The device offers extensive functions, a high degree of accuracy, and decisive advantages in operation in order to support the user in determining the various measured quantities.

In addition to the standard basic functions like minimum/maximum value memory, hold function, dew-point calculation, or a calibration function for humidity measurement, the improved device design KOBOLD HND-F215 has a minimum/maximum alarm, adjustable alarm, a real-time clock, and logger function.

6. Electrical Connection

6.1 Mains operation



When using a power supply device please note that operating voltage has to be 10.5 to 12 V_{DC} . Do not apply over-voltage!! Cheap 12 V-power supply devices often have excessive no-load voltage. We, therefore, recommend using regulated voltage power supply devices. Trouble-free operation is guaranteed by our power supply HND-Z002. Prior to connecting the plug power supply device with the mains supply make sure that the operating voltage stated at the power supply device is identical to the mains voltage.

- Treat device and sensor carefully. Use only in accordance with above specification. (do not throw, hit against etc.). Protect plug and socket from soiling. Only use for the HND specified sensors. Connecting the instrument to others, may damaged the instrument and the probe.
- Switch off instrument to change sensors.
- When connecting the probe, the connector may not lock correctly. In such
 case take the plug not at the casing but at the buckling protection at the end of
 the plug. If the plug is entered correctly, it will slide in smoothly.
- To disconnect sensor/probe, the interface or the power supply devices do not pull at the cable but at the plug.

page 4 HND-F215 K08/0323

7. Operation

7.1 Safety Requirements

This device has been designed and tested in accordance with the safety regulations for electronic devices. However, its trouble-free operation and reliability cannot be guaranteed unless the standard safety measures and special safety advises given in this manual will be adhered to when using the device.

- 1. Trouble-free operation and reliability of the device can only be guaranteed if the device is not subjected to any other climatic conditions than those stated under chapter 9. Technical Information.
- If the device is transported from a cold to a warm environment condensation may cause in a failure of the function. In such a case make sure the device temperature has adjusted to the ambient temperature before trying a new start-up.
- 3. If device is to be connected to other devices (e.g. via serial interface) the circuitry has to be designed most carefully. Internal connection in third party devices (e.g. connection GND and earth) may result in not-permissible voltages impairing or destroying the device or another device connected.



Warning: If device is operated with a defective mains power supply (short circuit from mains voltage to output voltage) this ma result in hazardous voltages at the device (e.g. sensor socket at interface).


- 4. If there is a risk whatsoever involved in running it, the device has to be switched off immediately and to be marked accordingly to avoid re-starting. Operator safety may be a risk if:
 - · there is visible damage to the device
 - the device is not working as specified
 - the device has been stored under unsuitable conditions for a longer time.

In case of doubt, please return device to manufacturer for repair or maintenance.



Warning: Do not use this product as safety or emergency stop device or in any other application where failure of the product could result in personal injury or material damage. Failure to comply with these instructions could result in serious injury and material damage.

7.2 Connections



Interface: Connection for electrical isolated interface adapter (accessories: HND-Z031, -Z032 or -Z033)

Connection for meas. Probes *)

Temperature input T2: Connection for NiCr-Nitemperature probe (type K) for surface temperature measurements etc.

The mains socket is located at the left side of the measuring instrument.

*) The following sensor types can be connected to the connection socket:

-HND-FF31 (atmospheric humidity and temperature T1)

-HND-FF33 (flow speed air, 0.55..20m/s) **-HND-FF32** (flow speed water, 0.05..5m/s)

7.3 Displays

Depending on the measuring probes/sensors connected the following measuring results can be displayed:





HND-FF31 Main display:

r.H.: relative atmospheric humidity in %



Secondary display: possible views:

- T1: temperature of the HND-FF31
- Td: dew point temperature of air
- kJ/kg: enthalpy

with surface temperature probe at T2:

T2: surface temperature

 ΔTd : dew point ratio = T2 - Td

The desired secondary display view can be selected by pressing the #-key.

HND-FF32 or HND-FF33: Main display:



m/s: flow rate



Secondary display: possible views:

- t.AVG: time left till average flow value in seconds will be displayed
- with temperature probe at T2 and as soon as the averaging time has been reached: T2: temperature

page 6 HND-F215 K08/0323

Special display – elements



- Min/Max/Hold: shows if a min., max. or hold value is displayed in either the main or the secondary display.
- CAL-arrow: indicates that a humidity calibration is carried out at the moment.
- Warning triangle: indicates a low battery, full logger storage, etc.
- (4) Corr arrow: indicates that correction factor is activated
- **5 Logger arrow:** indicates that the logger function is activated.
- (6) Alarm arrow: indicates an alarm

Messages at device startup:

The device will show some messages at the startup depended on the configuration and the connected sensor. Further information about the displays can be founded in the chapter "system and error messages" or by the display in the chapter "configuration".



Note: The message display can be aborted by pressing any key (keys 2 - 6) after the segment test.

7.4 Push buttons











On/off key



in/max when taking measurements:

press shortly: min. or max. measuring value will

be displayed

the value shown will be deleted press for 1 sec.:

up/down for configuration:

to enter values, and/or change settings

CAL: (for HND-FF31-measuring probe only) press for 2 sec.: humidity calibration will be started press for more than 10 sec.: reset of humidity

calibration to factory

calibration



CAL

Set/Menu:

press (Set) shortly: display changes between: T1,T2,Td, Δ Td,kJ/kg (if existing)

press (Menu) for 2 sec.: configuration menu is activated

Store/Quit:

Measurement: Hold current measuring value ('HLD'

in display)

for flow measurements in the 'AVGHold' mode:

start new measurement or handling

of logger functions

Set/Menu: Acknowledge setting, return to

measuring.

page 8 HND-F215 K08/0323

7.5 Instrument Configuration



Note: Some menu items will be shown depending on the actual device configuration (e.g. there are some items disabled when the logger contains data). Please note the hints by the menu items.

For configuration of the device press -key for 2 seconds; the main menu of the configuration will be called up. Use key to select a sub-menu; use the key CAL o actually go into the sub-menu selected and to change parameters.

to set the individual value for the parameter. Use the keys and Press the key again to memorize the changes made and to

change to the main menu. Use key to leave the configuration.



Read Logger': Read Out Logger Data (will be displayed only if data are memorized in the individual value logger mode)

For more information please refer to the chapter 'data logger - how to display individual values'.

'Set Configuration': General Device Configurations

Setting general configuration:

Please note: the points marked by *1 will only be displayed if no data is stored in the logger.

'AVG': Selection of Averaging Proceedings for Flow Measurement *1

(only HND-FF32/33)

Cont: continuous averaging - the average value calculated from _ max the measuring conducted during the averaging period will be displayed Hold: press key for averaging - flow measurements will be taken during the

averaging period, then the average value will be calculated and displayed till the next flow measurement is started.

't.AVG': Setting of Averaging Period *1 (only with HND-FF32-FF33)

1 .. 30: Time for averaging (in seconds) during flow measuring



min . ▼ 'Unit': Selection of Temperature Unit °C /°F *1

°C: All temperature values in degrees Celsius

°F: All temperature values in degrees Fahrenheit



'Offset T1': Zero Displacement of Sensor Temperature T1 *1

(only with HND-FF31)


-10.0 °C...10.0 °C The zero point of the measurement of channel 1 will be

-18.0 °F...18.0 °F: displaced by this value. Zero point displacement is deactivated (=0.0°) off:

Offset T2': Zero Displacement of Temperature T2 *1

-10.0 °C...10.0 °C or The zero point of the measurement of channel 1 will be displaced

-18.0 °F...18.0 °F: by this value. off: Zero point displacement is deactivated (=0.0°)



page 10 HND-F215 K08/0323

Logger function off (Use key 6 for Hold-function)

Cyclic logger (Start by pressing key 6)

Individual value logger (Press key 6 to store an individual value set)

note: if function "AVG Hold" is chosen, the cyclic logger is not supported.

off:

min ₅ ₹

[4[L

Stor:

CYCL:



7.6 Measurements Using the Combination Measuring Sensor HND-FF31

The HND-FF31 has been especially designed to carry out measurements of ambient temperature. All HND-FF31-probes are interchangeable without recalibration being required. The scope of supply includes one sensor to measure relative atmospheric humidity and another one to measure the ambient temperature T1.

rel. humidity r.H. [%]

Relative humidity measured in the tip of the probe. Resolution 0.1 %

Ambient temperature T1

Temperature measured in the tip of the probe. Resolution 0.1 °C or 0.1 °F. Other values on display will be calculated by the measuring device (acc. to Mollier diagram).

Dew point temperature Td

Cold air cannot absorb as much steam as warm air. This means that the **relative** humidity increases as the temperature decreases. If 100 % have been reached, the air is saturated with steam; another decrease in temperature results in part of the steam condensing to water, becoming visible as fog or precipitation (dew). The dew point temperature indicates at which temperature a 100 % saturation would be reached and as of when "dew" can be expected.

Enthalpy h [kJ/kg]

Enthalpy refers to the energy content of air. This value always refers to dry air at 0 ° C. I.e. the energy content of air with a relative humidity of 0 % and 0 °C is 0kJ/kg. The warmer the air is, the higher the relative humidity, the higher the energy content. Therefore, more energy is required to heat up humid air than dry air.



All humidity and temperature values calculated from the measuring values refer to a standard atmospheric pressure of 1013 mbar. For measuring atmospheric air, the deviations do not have to be taken into account. When taking measurements in pressure vessels or under similar conditions, the values have to be corrected in accordance with a suitable correction table.

Additional Measurements with NiCr-Ni-Surface Probe at T2:

Surface temperature T2

The second temperature channel can amongst other things be used to take measurements of surface temperatures

Dew point distance ∆Td

This measurement refers to measurements of T1, T2 and relative atmospheric humidity.

The combination sensor is used to measure the ambient air, whose condition is issued to calculate the dew point Td. The surface sensor is used to measure surfaces within this ambient air, with .Td stating the temperature difference between those measurements and the dew point.

Example: measuring the ambient temperature results in a Td of 5 °C. As long as the surface-temperature (T2) of a window exceeds 5°C (Δ Td > 0 °C) the surface won't sweat! When T2 falls below 5 °C, (Δ Td < 0 °C) it will sweat.

Other examples for application: detection of 'humid corners', monitoring of heat exchangers, weather forecast etc.

7.7 Measurements Using the Flow Measuring Probes HND-FF32 a. HND-FF33

Two types of measuring probes are available for flow speed measurements:

Please note: - use **HND-FF32** to measure water flow

- use HND-FF33 to measure air flow

Incorrect use will result in incorrect measurements!

Please observe max. measuring ranges for flow measurements!

-HND-FF32: 0.05 ... 5.00 m/s (water) -HND-FF33: 0.55 ... 20.00 m/s (air)

Higher speeds may destroy the measuring head or may, at least, permanently influence measuring accuracy.

An arrow on the measuring head indicates the required flow direction.

page 12 HND-F215 K08/0323

Flow measuring probes are 'free-jet calibrated', i.e. the diameter of the flow channel has to be 5 times bigger than the diameter of the flow measuring head (= approx. 5 cm, otherwise measuring errors up to 40 %).

When evaluating the measuring results please also note that in a channel the flow speed is usually higher in the middle of the channel than at its edges. Therefore, use appropriate tables to calculate air flow by means of flow speed.

Averaging for Flow Measurements:

When taking flow measurements fluctuations tend to be quite high. To be able to display a stable measuring value two averaging functions have been integrated in the instrument.

Continuous Averaging

The average value displayed has been calculated from the past few measurements conducted during the averaging time set After the instrument has been switched on the time remaining till expiration of the averaging time will be displayed at the bottom line of the display. The min. and max. values memorized refer to the minimum and/or maximum average value displayed.

Average Hold

As soon as the HND-F215 instrument has been switched on the device starts calculating the average flow value during the averaging time. During measuring the **current measuring value** will be shown in the top line of the display while the bottom line shows the remaining measuring time. As soon as measurements have been completed the **average value** will be displayed and the device will switch to the HOLD mode. The min. and max. values memorized refer to the minimum and/or maximum measuring value established during averaging. To start a new measuring series press the key "Store" (key 6).

Additional Measurements with any NiCr-Ni-Temperature Probe at T2:

Use temperature channel T2 to take measurements of medium temperature, for example. The value shown is not an average value.

7.8 Notes for Special Functions

Zero displacement ('Offset')

A zero displacement can be carried out for each of the two temperature channels T1 (HND-FF31 only) and T2:

displayed temperature = measured temperature - Offset

Standard setting: 'off' = 0.0° , i.e. no zero displacement will be carried out. The zero displacement is mainly used to compensate for sensor deviations. Unless 'off' is set, this value will be displayed shortly after the device is switched on; during operation it will be identified by means of the offset arrow in the display.

Display Correction Factor ('Corr')

This factor is applied to both sensor channels.

temperature displayed [°C] = temperature measured [°C] * Corr or temperature displayed [°F] = (temperature measured [°F]-32 °F) * Corr + 32 °F

Standard setting: 'off' =1.000

This factor is used to compensate for losses of transfer in case of surface measurements, occurring if the object to be measured is extremely hot but will be cooled by lower ambient temperatures. The same can be true for sensors with a large mass. Unless 'off' is set, this value will be displayed shortly after the device is switched on; during operation it will be identified by means of the Corr-arrow in the display.

Base Address ('Adr.')

Using a interface converter it is possible to connect several instruments to a single interface. As a precondition the base addresses of all devices must not be identical. In case several devices will be connected via one interface make sure to configurate the base addresses accordingly.

Channel 1 will be addressed by the base address set, channels 2 and 3 will have the following addresses.

(Example: base address 21 - channel 1 = 21, channel 2 = 22, channel 3 = 23)

Alarm:

3 alarm settings are available: off (off), on with horn sound (on), on - no horn sound (no.So)

Depending on the sensors in use there is the choice of which channel is surveyed by the alarm function.

If the alarm function (on, no.So) has been activated, an audible alarm signal will be given with the following cases:

- values have fallen below/exceeded the lower/upper alarm limits in the channel to be monitored
- FE 9 and/or FE11 at the channel to be monitored
- low battery
- FE 7: In case of a system error the horn will be sounded regardless of the alarm setting even if alarm = off)

If one or more alarm settings have been fulfilled the "alarm" arrow will be shown in the display; in case of access via the interface the 'PRIO'-Flag will appear.

Real Time Clock:

The real time clock is required to put logger data in a time order. If necessary, please check the setting:

Setting via keys (p.r.t. configuration of the device): time (minutes. accurate), date, vear.

Setting via interface: use suitable software (seconds - accurate) e.g. HND-Z034-software.

The clock setting menu will be started automatically when the device is switched on again after a battery change.

page 14 HND-F215 K08/0323

Data Logger:

As soon as key "Store" (key 6) is pressed and .**Func = Stor**. is chosen, a data set will be stored. The data stored can either be observed on the display (prt. "How to Display Individual Values" below), or be read into a PC via the interface.

When .CYCL. is set and the logger has been started using key "Store" (press for 2 seconds), data sets will be stored till the recording is either stopped or the logger memory is full. (not available with HND-FF... and "AVG Hold") The logger cycle time can be set. Use the interface to input the data stored into a PC.



If the logger contains already data, the connected kind of sensor (HND-FF31, HND-FF33, HND-FF32) must not be changed. In such case the instrument would display "Sens Erro". Functions like the read out of logger data or clear the memory are still accessible.

Storing of Individual Values: "Func Stor"

Data set that can be stored: 99

One data set consists of: measuring value channel 1 - 6 and time + date Press "Store"-key to store current values. .St.XX. will be displayed for a short time, XX representing the number of the data set 1..99.



If the logger memory is full a warning will appear on the display: (warning triangle permanently shown, cyclic display of "LoGG FuLL" and the current measuring value)

Upon pressing the "Store"-key (key 6) for 2 seconds the selection for deleting the logger memory will be displayed assumed that there are any logger data.



delete all data sets

delete data set recorded last



do not delete (= cancel procedure)

Use the keys "♠" (key 2) or "▼" (key 5) to make a selection. Use key "Quit" (key 6) to acknowledge selection.

How to display Individual Values:

Individual values can also be displayed without interface which is not possible with the cyclic logger function.

If there are data sets in the logger memory, the additional main menu .rEAd LoGG. will be offered upon call-up of the menu (press key "Set" (key 4) for 2 sec). When the " * "-key (key 3) is pressed the last data set will be displayed. Use " * "-key (key 3) to change over between the values of one data set (channel 1 - 6, date/time).

To change over from one data set to another use the keys "▲" (key 2) or "▼" (key 5).

Cyclic Logger Function: "Func CYCL"

Data sets that can be stored: 5400

One data set consists of: measuring value channel 1 - 6 The cycle time is set during "Device configuration".



Please Note: During long time recordings we suggest to use a mains adapter (HND-Z002).

Start logger recording:

Press "Store"-key (key 6) for 2 seconds to start recording. Then .St.XXXX. will be displayed for a short time for every logging; XXXX representing the number of the data set 1..5400.



If the logger memory is full a warning triangle will be shown on the display:

(warning triangle permanently shown, cyclic display of "LoGG FuLL" and the current measuring value)

Stop logger recording:

Press "Store"-key (key 6) for a short time to stop recording. You will then be asked to acknowledge again:



recording to be stopped



recording to be continued

Use the keys "▲" (key 2) or "▼" (key 5) to make your selection. Use "Quit"-key (key 6) to acknowledge your selection.



Please note: If you try to switch off the instrument in the cyclic recording mode you will be asked once again if the recording is to be stopped. The device can only be switched off after the recording has been stopped as the Auto-Power-Off-function is deactivated during recording.

Delete data in logger memory:

Press "Store"-key (key 6) for 2 seconds to display the selection for deleting data, if any, in the logger memory:



delete all data sets



do not delete (= cancel procedure

Use the keys "▲" (key 2) or "▼" (key 5) to make your selection. Use "Quit"-key (key 6) to acknowledge your selection.

page 16 HND-F215 K08/0323

7.9 The Serial Interface

All measuring and setting data of the device can be read and/or changed by means of the serial interface and a suitable electrically isolated interface adapter (HND-Z031, HND-Z032). In order to avoid transmission errors, there are several security checks implemented.

The following **standard software packages** are available for data transfer:

- HND-Z034: Software for temperature display and/or read out of logger

data.

- **BUS-S20M:** 20-channel software to display the humidity (channel 1), the

temperature. (channel 2, 3)

The following interface functions will be supported:

					functions will be supported		
		Cha	nnel			DLL-	Name/function
1	2	3	4	5	6	Code	Name/function
Х	Χ	Χ	Χ	Χ	Х	0	Read nominal value
Х	Χ	Χ	Χ	Χ	Х	3	Read system status
Х						12	Read ID number
1)	1)	1)	1)	1)	1)	22	Read min. alarm limit
1)	1)	1)	1)	1)	1)	23	Read max. alarm limit
2)						32	Read configuration flag
2)						160	Set configuration flag
Χ	Χ	Χ	Χ	Χ	Х	199	Read meas. type in display
Χ	Χ	Χ	Χ	Χ	Х	200	Read min. display range
Χ	Χ	Χ	Χ	Χ	Х	201	Read max. display range
Х	Χ	Χ	Χ	Х	Х	202	Read unit of display
Χ	Χ	Χ	Χ	Χ	Х	204	Read decimal point of display
Х						208	Read channel count
	Χ	Χ				216	Read offset correction
		Χ				218	Read corr. factor (10001200)
3)	3)	3)	3)	3)	3)	224	Read logger data (cyclic logger)
4)						225	Read logger cycle
5)						226	Set logger cycle
6)						227	Start logger recording
7)						228	Read count of logger data
7)						229	Read logger state
3)						231	Read logger stop time
x)						233	Read real-time clock
Х						234	Set real-time clock
7)						236	Read logger size
Х						240	Reset unit
Х						254	Read program identification
8)						260	Read logger data (man. logger)

For HND-FF31

Channel 1: rel atmospheric humidity

Channel 2: temperature T1 Channel 3: temperature T2

Channel 4: dew point temperature Td

Channel 5: dew point distance .Td

Channel 6: enthalpy h

For HND-FF32/HND-FF33 Channel 1: flow speed Channel 3: temperature T2 Channel 2, 4, 5, 6: not supported.

For NiCr-Ni (without HND-FF31/32/33) Channel 3: temperature T2 Channel 1, 2, 4, 5, 6: not supported. Logger handling still works with channel 1.

- 1) only when alarm is activated for referring channel
- 2) configuration flags: 50: 0 = logger off 1 = logger on

51: 0 = man. logger 1 = cyclic logger

- 3) only when logger function = CYCL, data present and logger stopped.
- 4) only when logger function = CYCL
- 5) only when logger function = CYCL and no data in memory
- 6) only when logger function = Stor, or logger function = CYCL and no data in memory
- 7) only when logger is activated (CYCL or Stor)
- 8) only when logger function = Stor and data in memory

7.10 How to Calibrate Meas. of Rel. Humidity Using HND-FF31

Due to the natural aging process of the polymer humidity sensor we recommend to calibrate the sensor at least once a year to ensure optimum measuring accuracy. For optimum recalibration and linearity check, please return device to manufacturer. Use integrated calibration function for 2-point on-site calibration.

Please note: Automatic temperature compensation during calibration



The rel. humidity to be found in the calibration equipment is quite often highly dependent on temperature. This dependence is automatically compensated for when calibrating with the integrated calibration equipment and automatic detection. In case you want to enter calibration values manually, make sure to enter the respective temperature with the values.

How to carry out calibration



Please note: the calibration is only possible, if the logger memory is empty.

Start calibration: press "CAL" (key 3) for 2 sec. (after more than 10 sec. the factory calibration will be set). The display prompts you to measure the first humidity value. Use "Set"-key (key 4) to stop calibration whenever you want to. In such a case the last calibration before this one will be used.

page 18 HND-F215 K08/0323

1) Selection automatic detection / manual input

Press "CAL"-key (key 3) for a short time to switch over between the various possibilities existing:



automatic detection (acceptable humidity variables see above) Display will switch over between the acceptable variables.





manual input

If you want to use other humidity values than those provided in the automatic detection, please enter them here.

0 ... 100.0 %: input range for rel. atmospheric humidity.

0 ... 100.0 %: input range for rel. atmospheric humidity (please note Watch out for 'Automatic temperature compensation during calibration')

2) Calibration point 1



Put sensor in suitable calibration equipment.

- As long as the individual values in the display for the automatic detection keep changing, a valid value could not be detected (humidity value measured may deviate from value set by manufacturer by approx. 10 %).
- In case of manual input, enter value here.

As soon as the display stops blinking and changing between values, a stable value has been detected and can be taken over by means of the "Store"-key (key 6). Then the next calibration step will be displayed.

3) Calibration point 2



Put sensor into suitable calibration equipment prepared for the second humidity value.

Precondition: If the first value was below 50 %, this value has to be over 50% or vice versa. Otherwise proceed as above. As soon as the display stops blinking and changing between values, the measuring value can be taken over by means of the "Store"-key (key 6) and the calibration has been completed.

If error messages are displayed when calibrating the instrument, the old calibration keeps valid, the new calibration data are lost. Please refer to "Error and System Messages during HND-FF31 Calibration"

7.11 System and Error Messages

7.11.1 Messages at device startup

Message (display)	Description
segment test (8888 and all special sign"s/arrows)	
current time (CLOC xx:xx)	
identified sensor (HND-FF31, -FF32 or -FF33)	
temperature offset of the HND-FF31-sensor	only with HND-FF31 and adj. offset-value <> off
flow - averaging procedure	only with HND-FF32,FF33
(AVG Hold or AVG Cont)	
flow - averaging period	only with HND-FF32,FF33
temperature offset for NiCr-Ni-probe	only at adjusted offset-value <> off
display correction for NiCr-Ni-probe	only at adjusted corr-value <> off

page 20 HND-F215 K08/0323

7.12System and Error Messages

Display	Description	Remedy		
	no probe/sensor connected	connect probe/sensor		
CC_C	probe/sensor damaged	probe/sensor defective -> return to manufacturer for repair		
SEn5	after taking logger readings the sensor was changed	reconnect the sensor used before or clear the logger memory recommendation: please keep sensor attached as long as the logger contains data.		
IDB.	Low battery voltage, device will only continue operation for a short time	replace battery		
68E	Low battery voltage	replace battery		
UIL	If mains operation: wrong voltage	replace power supply, if fault continues to exist: device damaged		
	Battery voltage too low	replace battery		
no display or characters	If mains op.: power supply defective or wrong voltage/polarity	check/replace power supply		
confused	System error	disconnect battery or power supply, wait for a short time, re-connect		
	device defective	return to manufacturer for repair		
Err. 1	Values exceeding measuring range	Check: are there any values exceeding the measuring range specified? ->meas. value too high		
	Sensor/cable defective	-> replace		
Err. 2	Values below measuring range	check: are there any values below the measuring range specified? ->meas. value too low		
LII. Z	Sensor/cable defective	-> replace		
Err. 7	System fault	switch on again: if fault continues to exist, device is damaged -> return to manufacturer for repair		
Err. 9	No probe/sensor existing or probe/sensor defective	connect probe/sensor probe/sensor damaged -> return to manufacturer for repair		
Err. 11	Value cannot be calculated	One measuring variable required for calculation is missing (no sensor) or incorrect (overflow/underflow)		

7.13 Error and System Messages during HND-FF31 Calibration

Display	Description	Remedy
Cal		correct humidity variable?
Err.1	Deviation too high (zero point)	no -> probe no longer within permissible tolerances, return to manufacturer for recalibration.
Cal Err.2	Difference point1-point2 too small	difference has to be at least 40% if values are entered manually select suitable values
Cal Err.3	Incorrect temperature	calibration is only permissible in the temp. range from 5 40°C

8. Maintenance

When to replace battery

If \triangle and 'bAt' are shown in the lower display the battery has been used up and needs to be replaced. The device will, however, operate correctly for a certain time. If 'bAt' is shown in the upper display the voltage is too low to operate the device; the battery has been completely used up.



Please note: The battery has to be taken out, when storing device above 50 °C. We recommend taking out battery if device is not used for a longer period of time.

page 22 HND-F215 K08/0323

9. Technical Information

Operating instructions, data sheet, approvals and further information via the QR code on the device or via www.kobold.com

10. Order Codes

Operating instructions, data sheet, approvals and further information via the QR code on the device or via www.kobold.com

11. Dimensions

Operating instructions, data sheet, approvals and further information via the QR code on the device or via www.kobold.com

12. Disposal


Note!

- Avoid environmental damage caused by media-contaminated parts
- Dispose of the device and packaging in an environmentally friendly manner
- Comply with applicable national and international disposal regulations and environmental regulations.

•

Batteries

• Batteries containing pollutants are marked with a sign consisting of a crossed-out garbage can and the chemical symbol (Cd, Hg, Li or Pb) of the heavy metal that is decisive for the classification as containing pollutants:



- 1. "Cd" stands for cadmium
- 2. "Hg" stands for mercury
- 3. "Pb" stands for lead
- 4. "Li" stands for lithium

• Electrical and electronic equipment



page 24 HND-F215 K08/0323

13. EU Declaration of Conformance

We, KOBOLD Messring GmbH, Hofheim-Ts, Germany, declare under our sole responsibility that the product:

Manual Humidity Precision Measuring Unit Model: HND-F215

to which this declaration relates is in conformity with the standards noted below:

EN 61326-1:2013

Electrical equipment for measurement, control and laboratory use - EMC requirements - Part 1: General requirements

EN 50581:2012

Technical documentation for the assessment of electrical and electronic products with respect to the restriction of hazardous substances

Also, the following EU guidelines are fulfilled:

2014/30/EU Electromagnetic compatibility

2011/65/EU RoHS (category 9)

2015/863/EU Delegated Directive (RoHS III)

Hofheim, 23 Nov. 2021

H. Volz General Manager M. Wenzel Proxy Holder

ppa. Wully

Appendix A: Sorts of wood

Select kind of wood you want to measure, enter number on the device, e.g. birch = h. 60

Identification	Number	Comment	Range
Group A	h. A	Wood-group A	082%
Group B	h. B	Wood-group B	195%
Group C	h. C	Wood-group C	2107%
Group D	h. D	Wood-group D	3121%
AS/NZS 1080.1	h. AS	Australian reference characteristic curve	491%
Group Spruce-Pine-Fir	h.402	Softwood-Group	699%
Fir, Picea abies Karst.	h.460	applications in the glued timber construction, MPA certified	6101%
HND-F reference	.rEF	Internal reference for determining additional characteristic curves /	
		calculation tables (without temperature-compensation)	

Abura	Hallea ciliata	h.2	750%
Afrormosia	Pericopsis elata	h.3	647%
Afzelia	Afzelia spp.	h.4	842%
Agba	Gossweilerodendron balsamiferum	h.426	
Albizia / latandza, New Guinea	Albizia falcatara	h.8	588%
Albizia / latandza, Solomon Island	Albizia falcatara	h.9	472%
Alder, Blush	Solanea australis	h.10	565%
Alder, Brown	Caldcluvia paniculosa	h.11	769%
Alder, Common	Alnus glutinosa	h.131	2107%
Alder, Rose	Caldcluvia australiensis	h.12	671%
Alerce	Fitzroya cupressoides	h.13	761%
Amberoi	Pterocymbium beccarii	h.14	567%
Amoora, New Guinea	Amoora cucullata	h.15	394%
Andiroba	Carapa guianensis	h.16	559%
Antiaris, New Guinea	Antiaris toxicaria	h.7	683%
Apple, Black	Planachonella australis	h.17	762%
Ash Silvertop	Eucalyptus sieberi	h.27	290%
Ash, American	Fraxinus americana	h.132	579%
Ash, Bennet's	Flindersia bennettiana	h.18	676%
Ash, Crow's	Flindersia australis	h.19	769%
Ash, European	Fraxinus excelsior	h.133	756%
Ash, Hickory	Flindersia ifflaiana	h.20	671%
Ash, Japanese	Fraxinus mandshurica	h.134	479%
Ash, Red	Flindersia excelsa	h.21	567%
Ash, Scaly	Ganophyllum falcatum	h.22	590%
Ash, Silver (Northern)	Flindersia schottina	h.23	770%
Ash, Silver (Queensland)	Flindersia bourjotiana	h.24	688%
Ash, Silver (Southern)	Flindersia schottina	h.25	782%
Ash, Silver, New Guinea	Flindersia amboinensis	h.26	582%
Aspen, Hard	Acronychia laevis	h.28	566%
Ayan	Distemonanthus benthamianus	h.285	754%
Balau	Shorea laevis	h.31	454%
Balau, red	Shorea guiso	h.32	468%
Balsa	Ochroma pyramidale	h.33	491%
Basralocus / Angelique	Dicorynia guianensis	h.34	655%
Basswood	Tilia americana	h.228	485%
Basswood, Fijian	Endospermum macrophyllum	h.35	463%
Basswood, Malaysian	Endospermum malacense	h.36	5116%
Basswood, New Guinea	Endospermum medullosum	h.37	576%
Basswood, Silver	Polyscias elegans	h.38	772%

	T	1	
Basswood, Solomon Island	Polyscias elegans	h.39	465%
Bean, Black	Castanosperum australe	h.40	687%
beech, damped	Fagus sylvatica	h.87	655%
beech, european -	Fagus sylvatica	h.86	585%
Beech, Myrtle	Nothofagus cunninghamii	h.41	676%
Beech, New Zeeland Red (hearted untreated)		h.42	787%
Beech, New Zeeland Red (sapwood boron)	Nothofagus fusca	h.43	297%
Beech, New Zeeland Red (sapwood untreated)	Nothofagus fusca	h.44	584%
Beech, Silky	Citronella moorei	h.45	866%
Beech, Silver	Nothofagus menziesii	h.46	858%
Beech, Silver (sapwood tanalith)	Nothofagus menziesii	h.47	676%
Beech, Silver (sapwood untreated)	Nothofagus menziesii	h.48	492%
Beech, Wau	Elmerrilla papuana	h.49	796%
Beech, White (Fiji)	Gmelina vitiensis	h.50	577%
Beech, White (Queensland)	Gmelina leichardtii	h.51	681%
Bintangor / Calophyllum, Fijian	Calophyllum leucocarpum	h.53	581%
Bintangor / Calophyllum, Malaysian	Calophyllum curtisii	h.54	676%
Bintangor / Calophyllum, New Guinea	Calophyllum papuanum	h.55	498%
Bintangor / Calophyllum, Phillipines	Calophyllum inophyllum	h.56	678%
Bintangor / Calophyllum, Solomon Islands	Calophyllum kajewskii	h.57	685%
Binuang	Octomeles sumatrana	h.130	573%
Birch, American	Betula lutea	h.59	772%
Birch, European	Betula pubescens	h.60	596%
Birch, White	Schizomeria ovata	h.58	775%
Bishop Wood (Fiji)	Bischofia javanica	h.61	573%
Blackbutt	Eucalyptus pilularis	h.62	492%
Blackbutt, Western Australia	Eucalyptus patens	h.63	688%
Blackwood	Acacia melanoxylon	h.64	675%
Bloodwood, Red	Corymbia gunmifera	h.66	778%
Bollywood	Litsea reticulata	h.67	578%
Bossime	Drypetes spp,	h.70	762%
Box Grey		h.75	873%
Box Grey Coast	Eucalyptus bosistoana	h.76	776%
,	71	🗨	

Box, Black	Eucalyptus lafgiflorens	h.71	592%
Box, Brush (Location	Lophostemon		
Unknown)	confertus	h.74	553%
Box, Brush (N.S.W.)	Lophostemon	h.72	455%
,	confertus Lophostemon	11.72	40070
Box, Brush (Queensland	confertus	h.73	746%
Box, Kanuka	Tristania laurina	h.77	678%
Boxwood, New Guinea	Xanthophyllum	h.78	569%
•	papuanum Planchonella		
Boxwood, Yellow	pholmaniana	h.79	762%
Brachychiton	Brachychiton carrthersii	h.80	555%
Bridelia	Bridelia minutiflora	h.81	5103%
Brigalow	Acacia harpohylla	h.82	583%
Brownbarrel	Eucalyptus fastigata	h.83	580%
Bubinga	Guibourtia demeusii	h.84	770%
-	Buchanania		
Buchanania	arborescens	h.85	476%
Burckella, Solomon Island	Burckella obovata	h.88	459%
Butternut, Rose	Blepharocarya	h.89	569%
Camphorwood, New Guinea	involucrigera Cinnamomum spp,	h.90	674%
Campnosperma	Campnosperma curtisii	h.91	895%
(Malaysia) Campnosperma	Campnosperma	h.92	378%
(Solomon Island) Cananga (Phillipines)	kajewskii Canagium odoratum	h.93	762%
Canarium Solomon	-	h.97	465%
Canarium, African	Canarium Scheinfurthii	h 94	780%
Canarium, Fijian	Canarium oleosum	h.95	577%
Canarium, New Guinea	Canarium vitiense	h.96	575%
Candlenut	Aleurites moluccana	h.98	0168%
Carabeen, Yellow	Sloanea woollsii	h.99	667%
Cathormion, New Guinea	Cathormion	h.100	
•	umbellatum		
Cedar , Amercan	Cedrela odorata	h.102	
Cedar, incense	Calocedrus decurrens	h.65	596%
Cedar, White	Melia azedarach Chamaecyparsis		786%
Cedar, Yellow	nootkatensis	h.457	491%
Celtis, New Guinea	Celtis spp,	h.103	567%
Celtis, Solomon Island	Celtis philippinesis	h.104	456%
Cheesewood, White (Queensland) /Asian Alstonia	Alstonia scholaris	h.105	577%
Chengal (Malaysia)	Neobalanocarpus heimii	h.106	476%
Cherry, American	Prunus serotina	h.216	597%
Cherry, European	Prunus avium	h.217	768%
Cleistocalyx	Cleistocalyx mirtoides	h.107	585%
Coachwood	Ceratopetalum	h.108	484%
Coondoo, Blush	apetalum Planchonella laurifolia		660%
Cordia, New Guinea	Cordia dichotoma		551%
Corkwood, Grey	Erythrina vespertillio		657%
Courbaril	Hymenaea coubaril		753%
Cudgerie, Brown	Canarium		767%
Cupiuba	australasicum Goupia glabra		656%
Cupluba Curupixá	Micropholis	1	652%
Cypress	Cupressus spp,		589%
Cypress, Northern	Callitris intratropica		678%
Cypicss, Mulliletti	Camula muanopica	11.113	010/0

0 0 11 1			
Cypress, Rottnest Island	Callitris preisii	h.116	
Cypress, White	Callitris glaucophylla	h.11/	686%
Dakua, Salusalu (Fiji)	Decussocarpus vitiensis	h.118	683%
Dibetou/African walnut	Lovoa trichilioides	h.119	768%
Dillenia (Solomon Island)	Dillenia salomonese	h.120	465%
Doi (Fiji)	Alphitonia zizphoides	h.121	572%
Duabanga, New Guinea	Duabanga moluccana	h.124	472%
Ebony, african	Diospyros spp,	h.125	655%
Ekki	Lophira alata	h.29	473%
Elm, European	Ulmus spp,	h.374	751%
Elm, White	Ulmus americana	h.373	569%
Evodia, White	Melicope micrococca	h.135	560%
Figwood (Moreton Bay)	Ficus macrophylla		756%
Fir, alpine	Abies lasiocarpa	h.410	680%
Fir, amabilis	Abies amabilis		491%
Fir, Douglas	Pseudotsuga menziesii		
Fir, Douglas (New	<u> </u>		
Zealand) (sapwood treated)	Pseudotsuga menziesii	h.140	673%
Fir, Douglas (New Zealand) (sapwood untreated)	Pseudotsuga menziesii	h.141	5108%
Fir, Douglas (New Zealand) (truewood untreated)	Pseudotsuga menziesii	h.142	399%
Fir, grand	Abies grandis	h.412	491%
Fir, Spruce	Abies magnifica	h.413	597%
Fir, white / Fir, silver	Abies alba	h.414	593%
Fir, MPA	Picea abies Karst.	h.460	6101%
Galip	Canarium indicum	h.143	564%
Garo-Garo	Matrixiodendron	h.144	5 67%
	Inechi/cladoe		007 70
	pschyclados Garuga floribunda		
Garuga	Garuga floribunda	h.145	653%
Garuga Goncalo Alvez	Garuga floribunda Astronium spp,	h.145 h.146	653% 645%
Garuga Goncalo Alvez Greenheart	Garuga floribunda Astronium spp, Ocotea rodiaei	h.145 h.146 h.148	653% 645% 6100%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa	h.145 h.146 h.148 h.149	653% 645% 6100% 782%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata	h.145 h.146 h.148 h.149 h.68	653% 645% 6100% 782% 794%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guarea, white	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata	h.145 h.146 h.148 h.149 h.68 h.69	653% 645% 6100% 782% 794% 967%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guarea, white Guariuba	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata Clarisia racemosa	h.145 h.146 h.148 h.149 h.68 h.69 h.150	653% 645% 6100% 782% 794% 967% 857%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guarea, white Guariuba Gum, Black	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata Clarisia racemosa Nyssa sylvatica	h.145 h.146 h.148 h.149 h.68 h.69 h.150 h.162	653% 645% 6100% 782% 794% 967% 857% 776%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guarea, white Guariuba Gum, Black Gum, Blue, Sidney	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata Clarisia racemosa Nyssa sylvatica Eucalyptus saligna	h.145 h.146 h.148 h.149 h.68 h.69 h.150 h.162 h.152	653% 645% 6100% 782% 794% 967% 857% 776%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guarea, white Guariuba Gum, Black Gum, Blue, Sidney Gum, Blue, Southern	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata Clarisia racemosa Nyssa sylvatica Eucalyptus saligna Eucalyptus globulus	h.145 h.146 h.148 h.149 h.68 h.69 h.150 h.152 h.152	653% 645% 6100% 782% 794% 967% 857% 776% 776% 679%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guarea, white Guariuba Gum, Black Gum, Blue, Sidney Gum, Blue, Southern Gum, Grey	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata Clarisia racemosa Nyssa sylvatica Eucalyptus saligna Eucalyptus globulus Eucalyptus punctata	h.145 h.146 h.148 h.149 h.68 h.69 h.150 h.162 h.152 h.151 h.153	653% 645% 6100% 782% 794% 967% 857% 776% 679% 589%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guariuba Gum, Black Gum, Blue, Sidney Gum, Blue, Southern Gum, Grey Gum, Grey, Mountain	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata Clarisia racemosa Nyssa sylvatica Eucalyptus saligna Eucalyptus globulus	h.145 h.146 h.148 h.149 h.68 h.69 h.150 h.162 h.152 h.151 h.153	653% 645% 6100% 782% 794% 967% 857% 776% 776% 679%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guarea, white Guariuba Gum, Black Gum, Blue, Sidney Gum, Blue, Southern Gum, Grey	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata Clarisia racemosa Nyssa sylvatica Eucalyptus saligna Eucalyptus globulus Eucalyptus punctata Eucalyptus	h.145 h.146 h.148 h.149 h.68 h.69 h.150 h.152 h.151 h.153 h.154	653% 645% 6100% 782% 794% 967% 857% 776% 679% 589%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guariuba Gum, Black Gum, Blue, Sidney Gum, Blue, Southern Gum, Grey Gum, Grey, Mountain	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata Clarisia racemosa Nyssa sylvatica Eucalyptus saligna Eucalyptus globulus Eucalyptus punctata Eucalyptus cypellocarpa Eucalyptus maidenii Eucalyptus viminalis	h.145 h.148 h.149 h.68 h.69 h.150 h.152 h.151 h.153 h.154 h.155	653% 645% 6100% 782% 794% 967% 857% 776% 679% 589% 679%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guarea, white Guariuba Gum, Black Gum, Blue, Sidney Gum, Blue, Southern Gum, Grey Gum, Grey, Mountain Gum, Maiden's	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata Clarisia racemosa Nyssa sylvatica Eucalyptus saligna Eucalyptus globulus Eucalyptus punctata Eucalyptus cypellocarpa Eucalyptus maidenii	h.145 h.146 h.148 h.149 h.68 h.69 h.150 h.152 h.151 h.153 h.154 h.155	653% 645% 6100% 782% 794% 967% 857% 776% 679% 679% 679% 779%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guariuba Gum, Black Gum, Blue, Sidney Gum, Blue, Southern Gum, Grey Gum, Grey, Mountain Gum, Maiden's Gum, Manna	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata Clarisia racemosa Nyssa sylvatica Eucalyptus saligna Eucalyptus globulus Eucalyptus punctata Eucalyptus cypellocarpa Eucalyptus maidenii Eucalyptus Eucalyptus viminalis Eucalyptus	h.145 h.148 h.149 h.68 h.69 h.150 h.152 h.151 h.153 h.154 h.155 h.156	653% 645% 6100% 782% 794% 967% 857% 776% 679% 589% 679% 480% 389%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guarea, white Guariuba Gum, Black Gum, Blue, Sidney Gum, Grey Gum, Grey Gum, Grey, Mountain Gum, Maiden's Gum, Manna Gum, Mountain	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata Clarisia racemosa Nyssa sylvatica Eucalyptus saligna Eucalyptus globulus Eucalyptus punctata Eucalyptus cypellocarpa Eucalyptus maidenii Eucalyptus dalrympleana	h.145 h.146 h.148 h.149 h.68 h.69 h.150 h.152 h.151 h.153 h.154 h.155 h.156 h.157	653% 645% 645% 6100% 782% 794% 967% 857% 776% 679% 589% 679% 480% 389% 685%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guarea, white Guariuba Gum, Black Gum, Blue, Sidney Gum, Blue, Southern Gum, Grey Gum, Grey, Mountain Gum, Maiden's Gum, Mountain Gum, Mountain	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata Clarisia racemosa Nyssa sylvatica Eucalyptus saligna Eucalyptus globulus Eucalyptus punctata Eucalyptus cypellocarpa Eucalyptus maidenii Eucalyptus dalrympleana Eucalyptus fasciculosa	h.145 h.146 h.149 h.68 h.69 h.150 h.152 h.151 h.153 h.154 h.155 h.156 h.157	653% 645% 645% 6100% 782% 794% 967% 857% 776% 679% 589% 679% 480% 389% 685%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guariuba Gum, Black Gum, Blue, Sidney Gum, Blue, Southern Gum, Grey Gum, Grey, Mountain Gum, Maiden's Gum, Mountain Gum, Pink Gum, Red, American Gum, Red, River	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata Clarisia racemosa Nyssa sylvatica Eucalyptus saligna Eucalyptus globulus Eucalyptus punctata Eucalyptus cypellocarpa Eucalyptus maidenii Eucalyptus dalrympleana Eucalyptus fasciculosa Liquidambar styraciflua	h.145 h.148 h.149 h.68 h.69 h.150 h.152 h.151 h.153 h.154 h.155 h.156 h.157 h.158 h.166 h.159	653% 645% 6100% 782% 794% 967% 857% 776% 679% 589% 679% 480% 389% 685% 592%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guariuba Gum, Black Gum, Blue, Sidney Gum, Blue, Southern Gum, Grey Gum, Grey, Mountain Gum, Maiden's Gum, Mountain Gum, Pink Gum, Red, American Gum, Red, River Gum, Rose / Gum,	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata Clarisia racemosa Nyssa sylvatica Eucalyptus saligna Eucalyptus globulus Eucalyptus punctata Eucalyptus cypellocarpa Eucalyptus maidenii Eucalyptus viminalis Eucalyptus dalrympleana Eucalyptus fasciculosa Liquidambar styraciflua Eucalyptus tereticomis Eucalyptus	h.145 h.148 h.149 h.68 h.69 h.150 h.152 h.151 h.153 h.154 h.155 h.156 h.157 h.158 h.166 h.159	653% 645% 6100% 782% 794% 967% 857% 776% 679% 589% 679% 480% 389% 685% 592% 782%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guariuba Gum, Black Gum, Blue, Sidney Gum, Blue, Southern Gum, Grey Gum, Grey, Mountain Gum, Maiden's Gum, Mountain Gum, Pink Gum, Red, American Gum, Red, River Gum, Rose / Gum, Saligna	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata Clarisia racemosa Nyssa sylvatica Eucalyptus saligna Eucalyptus globulus Eucalyptus punctata Eucalyptus cypellocarpa Eucalyptus maidenii Eucalyptus viminalis Eucalyptus dalrympleana Eucalyptus fasciculosa Liquidambar styraciflua Eucalyptus Eucalyptus tereticomis Eucalyptus Camaldulensis	h.145 h.146 h.149 h.68 h.69 h.150 h.152 h.151 h.153 h.154 h.155 h.156 h.157 h.158 h.156 h.159 h.160	653% 645% 645% 6100% 782% 794% 967% 857% 776% 679% 589% 679% 480% 389% 685% 592% 782% 794%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guarea, white Guariuba Gum, Black Gum, Blue, Sidney Gum, Blue, Southern Gum, Grey Gum, Grey, Mountain Gum, Maiden's Gum, Mountain Gum, Mountain Gum, Pink Gum, Red, American Gum, Red, Forest Gum, Red, River Gum, Rose / Gum, Saligna Gum, Shining	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata Clarisia racemosa Nyssa sylvatica Eucalyptus saligna Eucalyptus globulus Eucalyptus punctata Eucalyptus cypellocarpa Eucalyptus maidenii Eucalyptus viminalis Eucalyptus dalrympleana Eucalyptus fasciculosa Liquidambar styraciflua Eucalyptus tereticomis Eucalyptus camaldulensis Eucalyptus grandis Eucalyptus nitens	h.145 h.146 h.149 h.68 h.69 h.150 h.152 h.151 h.153 h.154 h.155 h.156 h.157 h.158 h.166 h.159 h.160	653% 645% 6100% 782% 794% 967% 857% 776% 679% 589% 679% 480% 389% 685% 592% 794% 781% 583%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guariuba Gum, Black Gum, Blue, Sidney Gum, Blue, Southern Gum, Grey Gum, Grey, Mountain Gum, Maiden's Gum, Mountain Gum, Pink Gum, Red, American Gum, Red, River Gum, Rose / Gum, Saligna	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata Clarisia racemosa Nyssa sylvatica Eucalyptus saligna Eucalyptus globulus Eucalyptus punctata Eucalyptus cypellocarpa Eucalyptus maidenii Eucalyptus viminalis Eucalyptus dalrympleana Eucalyptus fasciculosa Liquidambar styraciflua Eucalyptus camaldulensis Eucalyptus grandis	h.145 h.146 h.149 h.68 h.69 h.150 h.152 h.151 h.153 h.154 h.155 h.156 h.157 h.158 h.166 h.159 h.160	653% 645% 6100% 782% 794% 967% 857% 776% 679% 589% 679% 480% 389% 685% 592% 782% 794%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guarea, white Guariuba Gum, Black Gum, Blue, Sidney Gum, Blue, Southern Gum, Grey Gum, Grey, Mountain Gum, Maiden's Gum, Mountain Gum, Mountain Gum, Pink Gum, Red, American Gum, Red, Forest Gum, Red, River Gum, Rose / Gum, Saligna Gum, Shining Gum, Spotted (Victoria)	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata Clarisia racemosa Nyssa sylvatica Eucalyptus saligna Eucalyptus globulus Eucalyptus punctata Eucalyptus cypellocarpa Eucalyptus maidenii Eucalyptus viminalis Eucalyptus dalrympleana Eucalyptus fasciculosa Liquidambar styraciflua Eucalyptus tereticomis Eucalyptus camaldulensis Eucalyptus grandis Eucalyptus nitens	h.145 h.146 h.148 h.149 h.68 h.69 h.150 h.152 h.151 h.153 h.154 h.155 h.156 h.157 h.158 h.166 h.159 h.160 h.161	653% 645% 6100% 782% 794% 967% 857% 776% 679% 589% 679% 480% 389% 685% 592% 794% 781% 583%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guarea, white Guariuba Gum, Black Gum, Blue, Sidney Gum, Blue, Southern Gum, Grey Gum, Grey, Mountain Gum, Maiden's Gum, Manna Gum, Mountain Gum, Pink Gum, Red, American Gum, Red, Forest Gum, Red, River Gum, Rose / Gum, Saligna Gum, Shining Gum, Spotted (Victoria) (Lemon-Scented)	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata Clarisia racemosa Nyssa sylvatica Eucalyptus saligna Eucalyptus globulus Eucalyptus punctata Eucalyptus cypellocarpa Eucalyptus maidenii Eucalyptus dalrympleana Eucalyptus fasciculosa Liquidambar styraciflua Eucalyptus tereticomis Eucalyptus camaldulensis Eucalyptus grandis Eucalyptus grandis Eucalyptus nitens Corymbia spp,	h.145 h.146 h.149 h.68 h.69 h.150 h.152 h.151 h.153 h.154 h.155 h.156 h.157 h.158 h.166 h.159 h.160 h.161 h.163 h.163	653% 645% 645% 6100% 782% 794% 967% 857% 776% 679% 589% 679% 480% 389% 685% 592% 782% 794% 781% 583% 472%
Garuga Goncalo Alvez Greenheart Greenheart, Queensland Guarea, black Guariuba Gum, Black Gum, Blue, Sidney Gum, Grey Gum, Grey Gum, Maiden's Gum, Manna Gum, Mountain Gum, Pink Gum, Red, American Gum, Red, Forest Gum, Rose / Gum, Saligna Gum, Spotted (Victoria) (Lemon-Scented) Greenheart, Queensland Greenheart, Queensland Gum, Bluck Gum, Grey Gum, Grey Gum, Mountain	Garuga floribunda Astronium spp, Ocotea rodiaei Endiandra compressa Guarea cedrata Guarea cedrata Clarisia racemosa Nyssa sylvatica Eucalyptus saligna Eucalyptus globulus Eucalyptus punctata Eucalyptus punctata Eucalyptus maidenii Eucalyptus viminalis Eucalyptus dalrympleana Eucalyptus fasciculosa Liquidambar styraciflua Eucalyptus tereticomis Eucalyptus camaldulensis Eucalyptus grandis Eucalyptus nitens Corymbia spp, Eucalyptus cladocalyx	h.145 h.146 h.149 h.68 h.69 h.150 h.152 h.151 h.153 h.154 h.155 h.156 h.157 h.158 h.160 h.160 h.161 h.163 h.163 h.164 h.163	653% 645% 6100% 782% 794% 967% 857% 776% 679% 589% 679% 480% 389% 685% 592% 794% 781% 583% 472% 679%

Handlewood, Grey	Aphanante phillipinensis	h.169	566%
Handlewood, White	Strebulus pendulinus	h.170	758%
Hardwood, Johnstone River	Bakhousia bancroftii	h.171	562%
Hemlock / Hemlock, Western	Tsuga heterophylla	h.172	854%
Hemlock, Chinesische	Tsuga chinensis	h.173	575%
Hevea	Hevea Brasiliensis	h.174	771%
Hickory	Carya spp.	h.175	669%
Hollywood, Yellow	Premna lignum-vitae	h.176	767%
Horizontal	Anodopetalum biglandulosum	h.177	
Incensewood		h.178	
Iroko	Chlorophora excesla Eucalyptus	h.179	746%
Ironbark, Grey	drephanophylla	h.180	788%
Ironbark, Grey	Eucalyptus paniculata	h.181	586%
Ironbark, Red	Eucalyptus sideroxylon	h.182	879%
Ironbark, Red, Broad Leaved	Eucalyptus fibrosa	h.183	881%
Ironbark, Red, Narrow Leaved	Eucalyptus cerbra	h.184	586%
Jarrah	Eucalyptus marginata	h.185	592%
Jelutong	Dyera costulata	h.186	0104%
Jequitibá	Cariniana spp,	h.187	564%
Kahikatea (New Zealand) (Boron)	Dacrycarpus docrydiodies	h.188	763%
Kahikatea (New Zealand) (Thanalith)	Dacrycarpus docrydiodies	h.189	673%
Kahikatea (New Zealand) (untreated)	Dacrycarpus docrydiodies	h.190	674%
Kamarere (Fiji)	Eucalyptus deglupta	h.191	566%
Kamarere (New Guinea)	Eucalyptus deglupta	h.192	
Kapur	Dryobalanops spp,	h.193	773%
Karri	Eucalyptus diversicolor	h.194	579%
Kauceti	Kermadecia vitiensis	h.200	457%
Kauri	Agathis australis, boroneensis	h.201	578%
Keledang	Artocarpus lanceifolius	h.202	0132%
Kempas	Koomapassia excelsa	h.203	489%
Keranji (Malaysia)	Dialium platysepalum	h.204	551%
Keruing	Dipterocarpus spp,	h.205	664%
Kiso	Chisocheton schumannii	h.218	654%
Lacewood, Yellow	Polyalthia oblongifolia	h.219	568%
Laran	Anthocephalus		767%
Larch	chinensis Larix decidua	h.221	569%
Larch, American / Larch, Western	Larix occidentalis		598%
Larch, Japanese	Larix kaempferi	h.222	599%
Lauan, Red	Shorea negrosensis		562%
Leatherwood	Eucryphia lucida		679%
Lightwood	Acacia implexa		762%
Limba	Terminalia superba		656%
Lime, European	Tilia vulgaris	h.229	478%
Louro, Red	Ocotea rubra	h.231	576%
Macadamia	Floyda praealta	h.232	759%
Magnolia	Magnolia	h.233	688%
Mahogany, Brush	acuminata/grandiflora Geissos benthamii	h.242	
Mahogany, Miva	Dysoxylum muelleri		873%
Mahogany, New Guinea	Dysoxylum spp,		674%
ıvıanogany, New Guinea	Dysoxylum spp,	n.241	б/4%

Mahogany, Red	Eucalyptus botryoides	h.244	791%
Mahogany, Rose	Dysoxylum fraseranum	h.245	765%
Mahogany, Southern	Eucalyptus botryoides	h.246	582%
Mahogany, White	Eucalyptus acmenoides	h.247	693%
Mahogony Khaya	Khaya spp,	h.235	782%
Mahogony, American	Swietenia spp,	h.234	
Mahogony, Phillipines	Parashorea plicata	h.236	
Mahogony, Phillipines	Shorea almon	h.237	
Mahogony, Sapelli / Sapele	Entandrophragma cylindricum	h.238	599%
Mahogony, Sipo / Utile	Entradrophragma utilie	h.239	6110%
Mahogony, Tiama / gedu nohor	Entadrophragma angolense	h.240	1054%
Mako	Trischospermum richii	h.248	368%
Makoré	Thieghemmella	h.123	686%
Makorè	africana Thieghemella heckelii	h.249	
Malas	Homalium foetidum	h.250	
Malletwood	Rhodamnia argentea	h.251	
Malletwood, Brown	Rhodamnia rubescens	h.252	
Manggachapui	Hopea acuminata	h.253	
Mango	Mangifera minor	h.254	
Mango, Phillipines	Mangifera altissima	h.255	
	Garcinia myrtifolia	h.256	_
Mangosteen (Fiji)	Xylocarpus		
Mangrove, Cedar	australasicus	h.257	
Maniltoa (Fiji)	Maniltoa grandiflora	h.258	
Maniltoa (New Guinea)	Maniltoa pimenteliana	h.259	658%
Mansonia	Mansonia altissima	h.260	780%
Maple, New Guinea	Flindersia pimentelianan	h.261	687%
Maple, Queensland	Flindersia brayleyana	h.262	5136%
Maple, Rose	Cryptocarya erythroxylon	h.263	664%
Maple, Scented	Flindersia laevicarpa	h.264	757%
Mararie	Pseudoweinwannia lanchanocarpa	h.265	875%
Marri	Eucalyptus calophylla	h.266	564%
Masiratu	Degeneria vitiensis	h.267	567%
Massandaruba	Manilkara kanosiensis	h.268	465%
Matai	Podocarpus spicatus	h.269	673%
Mengkulang	Heritiera spp,	h.270	567%
Meranti, Buik from 1999	Shorea platiclados	h.271	461%
Meranti, Dark Red	Shorea spp,	h.272	594%
Meranti, Nemesu from 1999	Shorea pauciflora	h.274	491%
Meranti, Seraya from 1999	Shura curtisii	h.275	562%
Meranti, Tembaga from 1999	Shorea leprosula	h.276	372%
Meranti, White	Shorea hypochra	h.277	494%
Meranti, Yellow			
	Shorea multiflora	h.273	
Merawan	Shorea multiflora Hopea sulcala	h.278	490%
Merawan Merbau	Hopea sulcala Intsia spp,		490%
	Hopea sulcala	h.278	490% 684%
Merbau Mersawa Messmate	Hopea sulcala Intsia spp,	h.278 h.279	490% 684%
Merbau Mersawa Messmate Moabi	Hopea sulcala Intsia spp, Anisoptera laevis	h.278 h.279 h.280 h.281 h.282	490% 684% 496% 875% 683%
Merbau Mersawa Messmate Moabi Mora	Hopea sulcala Intsia spp, Anisoptera laevis Eucalyptus obliqua Baillonella toxisperma Mora excelsa	h.278 h.279 h.280 h.281 h.282 h.283	490% 684% 496% 875% 683% 559%
Merbau Mersawa Messmate Moabi Mora Moustiqaire	Hopea sulcala Intsia spp, Anisoptera laevis Eucalyptus obliqua Baillonella toxisperma	h.278 h.279 h.280 h.281 h.282 h.283 h.284	490% 684% 496% 875% 683% 559% 477%
Merbau Mersawa Messmate Moabi Mora Moustiqaire Musizi	Hopea sulcala Intsia spp, Anisoptera laevis Eucalyptus obliqua Baillonella toxisperma Mora excelsa Cryptocarya spp, Maesopsis eminii	h.278 h.279 h.280 h.281 h.282 h.283 h.284 h.286	490% 684% 496% 875% 683% 559% 477% 794%
Merbau Mersawa Messmate Moabi Mora Moustiqaire	Hopea sulcala Intsia spp, Anisoptera laevis Eucalyptus obliqua Baillonella toxisperma Mora excelsa Cryptocarya spp,	h.278 h.279 h.280 h.281 h.282 h.283 h.284	490% 684% 496% 875% 683% 559% 477% 794% 775%

Nutmeg (New Guinea)	Myrstica buchneriana	h.291	578%
Nyatoh	Palaquium spp,	h.292	
Oak, European	Quercus robur L.,	h.126	
Oak, Japanese	Quercus spp,	h.127	
Oak, New Guinea	Castanopsis	h.293	
	acuminatissima		
Oak, Red	Quercus spp,	h.128	
Oak, Silky, Fishtail	Neorites kevediana	h.294	
Oak, Silky, Northern	Cardwellia sublimia	h.295	
Oak, Silky, Red Oak, Silky, Southern	Stenocarpus salignus Grevillea robusta	h.296 h.297	
		h.298	
Oak, Silky, White Oak, Tasmanian	Stenocarpus sinuatus Eucalyptus regnans	h.299	
	Argyrodendron		
Oak, Tulip, Blush	actinophyllum	h.300	660%
Oak, Tulip, Brown	Argyrodendron trifoliolatum	h.301	960%
Oak, Tulip, Red	Argyrodendron peralatum	h.302	987%
Oak, Tulip, White	Petrygota horsfieldii	h.303	569%
Oak, White-	Quercus spp,	h.129	
Obah	Eugenia spp,	h.304	
Obeche	Triplochiton	h.1	550%
Odoko	scleroxylon Scottellila coriancea	h.305	672%
Olive	Olea hochstetteri	h.306	
	Atextoxicon		
Olivillo	puncttatum	h.307	570%
Opepe	Nauclea diderrichii	h.52	773%
Padauk, African	Pterocarpus soyauxii	h.308	
Palachonella, Fijian	Planchonella vitiensis	h.347	661%
Palachonella, New Guinea	Planchonella kaernbachiana	h.348	471%
Palachonella, New	Planchonella	h.349	2 67%
Guinea	thyrsoidea	11.040	207 70
Palachonella, Solomon Island	Planchonia papuana	h.350	457%
Paldao	Dracontomelum dao	h.309	4 86%
Panga Panga	Millettia stuhlmannii	h.312	
Papuacedrus	Papuacedrus papuana	h.314	
Parinari, Fijian	Oarinari insularum	h.315	
Penarahan	Myristica iners	h.316	
Peppermint, Broad-	•		
Leaved	Eucalyptus dives	h.317	694%
Peppermint, Narrow- Leaved	Eucalyptus australiana	h.318	876%
Peroba, White	Paratecoma peroba	h.319	760%
Persimmon	Diospyros pentamera	h.320	570%
Perupok (Malaysia)	Kokoona spp,	h.321	1135%
Perupok (Malaysia)	Lophopetalum subovatum	h.322	898%
Pillarwood		h.323	479%
Pine / Pine, Stone	Pinus pinea	h.345	
Pine, Aleppo	Pinus halepensis	h.324	
Pine, Austrian	Pinus nigra		5106%
Pine, Beneguet	Pinus kesya		8104%
Pine, Black	Prumnoptys amarus	h.326	
Pine, Bunya	Pinus bidwillii		869%
Pine, Canary Island	Pinus canariensis		680%
	Phyllocladus		
Pine, Celery-Top	aspenifolius Araucaria		771%
Pine, Hoop	cunninghamii		779%
Pine, Huon	Dacrydium franklinii	h.331	870%
Pine, King William	Athrotaxis selaginoides	h.332	767%

Pine, Klinki	Araucaria hunsteinii	h.333	4 Q1%
Pine, Loblolly-	Pinus taeda	h.209	
·			
Pine, Longpole-	Pinus contorta	h.207	
Pine, Maritime	Pinus pinaster	h.334	
Pine, Parana Red	Araucaria angustifolia	h.335	
Pine, Parana White	Araucaria angustifolia	h.336	
Pine, Pitch-, american	Pinus palustris		665%
Pine, Pitch-, caribbean	Pinus caribaea	h.210	
Pine, Radiata	Pinus radiata	h.337	5100%
Pine, Radiata (New	Pinus radiata	h.338	7 78%
Zealand) (sapwood aac)	i iildo radiata	11.000	77070
Pine, Radiata (New			
Zealand) (sapwood	Pinus radiata	h.339	685%
boliden)			
Pine, Radiata (New			
Zealand) (sapwood	Pinus radiata	h.340	669%
boron) Pine, Radiata (New			
	Pinus radiata	h.341	E 720/
Zealand) (sapwood tanalith)	Pinus radiala	11.341	573%
Pine, Radiata (New			
Zealand) (sapwoodt	Pinus radiata	h.342	5 91%
untreated)	i indo radiata	11.542	00170
Pine, Red	Pinus resinosa	h.343	2 99%
Pine, Scotts	Pinus sylvestris L.	h.206	
Pine, Shortleaf	Pinus echinata	h.213	
Pine, Slash	i indo cominata	11.2 13	33070
(Queensland)	Pinus elliottii	h.344	686%
Pine, Southern	Pinus echinata	h.214	5 97%
Pine, Southern, yellow /			
Pine, Ponderosa	Pinus ponderosa	h.208	596%
Pine, Sugar	Pinus lambertiana	h.215	497%
Pine, western white	Pinus monticola	h.406	
Pittosporum (Tasmania)	Pittosporum bicolor	h.346	
Planchonia	Pleiogynium timorense		
Pleiogynium / Podo	Podocarpus neriifolia	h.352	
	Decussocarpus		
Podocarp, Fijian	vitiensis	h.353	679%
Podocarp, Red	Euroschinus falcata	h.354	683%
Poplar, Black	Populus nigra	h.313	491%
Poplar, Pink	Euroschinus falcata	h.355	667%
Quandong, Brown	Eurocarpus	h.356	5 75%
Quantong, Brown	coorangooloo	11.000	07 0 70
Quandong, Silver	Elaecarpus angustifolius	h.357	565%
Quandong, Solomon		L 050	0.0701
Island	Elaecarpus spaericus	h.358	პ0/%
Qumu	Acacia Richii	h.359	567%
Raintree (Fiji)	Samanea saman	h.360	
Ramin	Gonystylus spp,		654%
Redwood / Sequoia	Sequoia sempervirens	h.362	588%
Rengas	Gluta spp,	h.363	
	Cotylelobium		
Resak (Malaysia)	melanoxylon	h.364	J 9 4%
Rimu (non-truewood	Dacrydium cupresinum	h.365	765%
boron)	, ,		
Rimu (non-truewood	Dacrydium cupresinum	h.366	765%
tanalith)			
Rimu (non-truewood	Dacrydium cupresinum	h.367	869%
untreated) Rimu (truewood			
untreated)	Dacrydium cupresinum	h.368	844%
Robinia	Robinia pseudoacacia	h.369	2 72%
Roble Pellin	Nothofagus obliqua	h.370	
TODIC I CIIII	1. Totalolagus obilqua	11.570	J Z /0

	1.		1
Rock maple	Acer saccharum	h.6	592%
Rosewood, Brasilian	Dalbergia nigra		558%
Rosewood, Indian	Dalbergia latifolia		491%
Rosewood, New Guinea	Pterocarpus indicus	h.371	566%
Rosewood, Phillippines	Pterocarpus indicus	h.372	1054%
Sapupira	Hymenolobium excelsum	h.375	568%
Sasauria (Fiji)	Dysoxylum quercifolium	h.376	469%
Sassafras	Doryphora sassafras	h.377	670%
Sassafras, Southern	Atherospherma moschatum	h.378	766%
Satinash, Blush	Acmena Hemilampra	h.379	384%
Satinash, Grey	Syzygium gustavioides	h.380	582%
Satinash, New Guinea	Syzygium butterneranum	h.381	568%
Satinash, Rose	Syzygium francisii	h.382	559%
Satinay	Syncarpia hilii	h.383	492%
Satinbox	Phenbalium saquameum	h.384	592%
Satinheart, Green	Geijera salicifolia	h.385	851%
Satinwood, Tulip	Rhodosphaera rhodanthema		694%
Scentbark	Eucalyptus aromapholia	h.387	570%
Schizomeria, New	Schizomeria serrata	h.388	581%
Guinea Schizomeria, Solomon	Schizomeria serrata		460%
Island	Scriizoniena serrata		
Sepetir	Sindora coriaceae	h.390	188%
Sheoak, Fijian Beach	Casuarina nodiflora	h.391	671%
Sheoak, River	Casuarina cunninghamiana	h.392	759%
Sheoak, Rose	Casuarina torulosa	h.393	858%
Sheoak, Western Australia	Allocasuarina fraserana	h.394	764%
Silkwood, Bolly	Cryptocarya ablata	h 395	853%
Silkwood, Silver	Flindersia acuminata		771%
Simpoh (Phillippines)	Dillenia philippinensis		586%
Sirus, White	Ailainthus peekelii		574%
	Ailainthus triphysa		770%
Sirus, White			
Sloanea	Sloanea spp,		577%
Spondias	Spondias mariana		472%
Spruce, European	Picea abies Karst.	n.136	6101%
Spruce, Norway /Norway Spruce	Picea abies	h.137	6105%
Spruce, Sitka	Picea sitchensis	h.138	598%
Sterculia, Brown	Sterculia spp,	h.230	491%
Stringybark, Brown	Eucalyptus capitellata		683%
Stringybark, Darwin	Eucalyptus tetrodonta		581%
Stringybark, Yellow	Eucalyptus muelleriana		
Suren	Toona cilata		6103%
Sweet chestnut	Castanea sativa		2107%
_		h.5	757%
Sycamore	Acer pseudoplatanus Ceratopetalum		
Sycamore, Satin	succirubrum		763%
Tallowwood	Eucalyptus microcorsis		
Tatajuba	Bagassa guianesis	h.30	744%
Taun Maleisien	Pometia pinnata		0105%
Taun New Guinea	Pometia pinnata		6103%
Taun Phillipines	Pometia pinnata	h.197	799%
Taun Solomon Island	Pometia pinnata	h.198	470%
Tawa	Beilschmiedia tawa	h.415	851%
Tawa (sap & heart boron)	Beilschmiedia tawa	h.416	661%
			

F	1	ı	 -
Tawa (sap & heart untreated)	Beilschmiedia tawa	h.417	764%
Teak	Tectona grandis	h.418	680%
Terap	Artocarpus elasticus	h.419	2169%
Terentang	Campnosperma brevipetiolata	h.420	577%
Terminalia Braun	Terminalia microcarpa	h.421	371%
Terminalia Gelb	Terminalia complanata	h.422	387%
Tetrameles	Tetrameles nudiflora	h.423	570%
Tingle, Red	Eucalyptus jacksonii	h.424	5110%
Tingle, Yellow	Eucalyptus guilfolei	h.425	5105%
Tornillo	Cedrelinga catenaeformis	h.427	571%
Totara	Podocarpus totara	h.428	763%
Touriga, Red	Calophyllum constatum	h.429	873%
Tristiropsis, New Guinea	Tristiropsis canarioides	h.430	670%
Tulipwood	Harpullia pendula	h.432	776%
Turat	Eucalyptus gomophocephala	h.431	771%
Turpentine	Syncarpia glomulifera	h.433	591%
Vaivai-Ni-Veikau	Serianthes myriadenia	h.434	561%
Vatica, Phillippines	Vatica, manggachopi	h.435	763%
Vitex, New Guinea	Vitex cofassus	h.436	578%
Vuga	Metrosideros collina	h.437	656%
Vutu	Barringtonia edulis	h.438	455%
Walnut, American	Juglans nigra	h.288	587%
Walnut, Blush	Beilschmiedia obtusifolia	h.439	864%
Walnut, European	Junglans regia	h.289	759%
Walnut, Queensland	Endiandra palmerstonii	h.440	6101%
Walnut, Rose	Endiandra muelleri	h.441	378%
Walnut, White	Cryptocarya obovota	h.442	763%
Walnut, Yellow	Beilschmiedia bancroftii	h.443	566%
Wandoo	Eucalyptus wandoo		787%
Wattle, Hickory	Acacia penninervis		764%
Wattle, Silver	Acacia dealbata	h.446	773%
Wengé	Millettia laurentii	h.448	755%
Western Red Cedar	Thuja plicata	h.449	656%
Whitewood, American	Liriodendron tulipifera	h.447	599%
Woolybutt	Eucalyptus longifolia	h.450	780%
Yaka	Dacrydium nausoriensis/nidilum		669%
Yasi-Yasi I (Fiji)	Syzygium effusum		471%
Yasi-Yasi II (Fiji)	Syzygium spp,	h.453	582%
Yate	Eucalyptus cornuta		673%
Yertschuk	Eucalyptus considenia	h.455	788%

Appendix B: Additional materials

Select material you want to measure, enter number on the device, e.g. concrete b25 = b. 6

Measuring of building materials

Material	Number	Range	Moisture
Concrete			estimation
Concrete 200kg/m³ B15 (200 kg Concrete per 1m³ sand)	b. 5	0,73,3%	yes
Concrete 350kg/m³ B25 (350 kg Concrete per 1m³ sand)	b. 6	1,13,9%	yes
Concrete 500kg/m³ B35 (500 kg Concrete per 1m³ sand)	b. 7	1,43,7%	yes
gas-aerated concrete (Hebel)	b. 9	1,6173,3%	yes
gas-aerated concrete (Ytong PPW4, gross density 0,55)	b. 27	1,653,6%	yes
Screed			
Anhydrit screed AE, AFE	b. 1	0,030,3%	yes
Ardurapid screed-concrete	b. 2	0,63,4%	no
Elastizell screed	b. 8	1,024,5%	yes
Screed-plaster	b. 11	0,49,4%	yes
Wood-concrete screed	b. 13	5,320,0%	
Screed-concrete ZE, ZFE without additives	b. 21	0,84,6%	yes
Screed-concrete ZE, ZFE with bitumen additives	b. 22	2,85,5%	yes
Screed-concrete ZE, ZFE with synthetic additives	b. 23	2,411,8%	yes
Miscellaneous			
Asbestos cement panels	b. 3	4,734,9%	no
Bricks clay bricks	b. 4	0,040,4%	no
Plaster	b. 10	0,377,7%	yes
Plaster synthetic	b. 12	18,260,8%	yes
On-wall plaster	b. 20	0,038,8%	no
Lime mortar KM 1:3	b. 14	0,440,4%	yes
Lime sand bricks (14 DF (200), gross density 1,9)	b. 28	0,112,5%	yes
Limestone	b. 15	0,429,5%	yes
MDF	b. 16	3,352,1%	
Cardboard	b. 17	9,8136,7%	yes
Stone-timber	b. 18	10,518,3%	yes
Polystyrene	b. 25	3,950,3%	yes
soft-fibre-panel-wood, bitumen	b. 26	0,071,1%	yes
Concrete mortar ZM 1:3	b. 19	1,010,6%	yes
Concrete bounded fake boards	b. 24	3,333,2%	yes

The accuracy of measuring building materials depends on manufacturing and using. The used additives may vary from manufacturer to manufacturer, therefore deviating measure results may occur. The given measuring-range is the theoretically measurable range.

Estimation of additional materials

Following materials may be well estimated with the help of the device, but you won't reach such high accuracy than with materials listed in appendix A and B.

materials listed in appendix A and B.			
Material	Number	Comment	
Hay, flax	h. 458	Injection probe HND-Z058	
Straw, grain	h. 459	Injection probe HND-Z058	
Cork	h. A		
Fibre board	h. C		
Wood fibre insulating wall panel	h. C		
Wood fibre hard disks	h. C		
Kauramin-fake boards	h. C		
Melamine-fake boards	h. A		
Paper	h. C		
Phenolic resin-fake boards	h. A		
Textiles	h. C (D)		